0-10%

0-5%



Material Safety Data Sheet acc. to ISO/DIS 11014

Revision date: 06/15/2006

1 Identification of substance:

- · Product details:
- · Trade name: ITW1212, Ink, Black, Non-porous, 5 Gal

• Manufacturer/Supplier: ITW Inks I Missouri Research Park Drive St. Charles, MO 63304-5685

Customer Sales & Service: 877-342-4727 USA 636-300-2005 FAX

Email: info@itw-inks.com

• Emergency information: Contact Infotrac: (800) 535 5053 (US only) International: +1 352 323 3500

2 Composition/Data on components:

· Chemical characterization

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

64-17-5 ethanol

112-34-5 diethylene glycol monobutyl ether

3 Hazards identification

· Hazard description:



Highly flammable

- · Information pertaining to particular dangers for man and environment:
- Highly flammable. Irritating to eyes.
- · Classification system

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

• NFPA Ratings (scale 0-4)



· HMIS Rating (scale 0-4)

HEALTH I Health - 1 FIRE I Flammability - 3 REACTIVITY REACTIVITY O

- · Routes of Entry Ingestion
- · Target Örgans Eyes
- · Irritancy

Eyes

- Skin • Sensitizing Capability None known
- **Reproductive Effects** None known
- Cancer Information Not known to be carcinogenic.

(Contd. on page 2)

USA

Material Safety Data Sheet acc. to ISO/DIS 11014

07/26/2006

Revision date: 06/15/2006

Trade name: ITW1212, Ink, Black, Non-porous, 5 Gal

(Contd. of page 1)

4 First aid measures

- After inhalation Supply fresh air; consult doctor in case of complaints.
- After skin contact Generally the product does not irritate the skin.
- · After eye contact
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing
- Drink plenty of water. Induce vomiting, if person is conscious. Get immediate medical attention.

5 *Fire fighting measures*

- Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents
- Water.
- Water with full jet.
- · Protective equipment: No special measures required.

6 Accidental release measures

- **Person-related safety precautions:** Wear protective equipment. Keep unprotected persons away. • **Measures for environmental protection:**
- Do not allow product to reach sewage system or any water course. Prevent seepage into sewage system, workpits and cellars.
- Inform respective authorities in case of seepage into water course or sewage system. • Measures for cleaning/collecting:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents

7 Handling and storage

- · Handling
- · Information for safe handling: Store in cool, dry place in tightly closed receptacles.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Storage
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Maximum storage temperature: 120 F (49 C)
- Minimum storage temperature 35 F(2 C)

8 Exposure controls and personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

- PEL
 1900 mg/m³, 1000 ppm

 REL
 1900 mg/m³, 1000 ppm

 TLV
 1880 mg/m³, 1000 ppm
- · Personal protective equipment
- General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes.

(Contd. on page 3)

(Contd. of page 2)

Material Safety Data Sheet acc. to ISO/DIS 11014

07/26/2006

Revision date: 06/15/2006

Trade name: ITW1212, Ink, Black, Non-porous, 5 Gal

Avoid contact with the eyes and skin. • **Breathing equipment:** Not required.

· Protection of hands:



Tightly sealed goggles.

| · General Information | | |
|---|---|--|
| Form: Color: Odor: | Liquid Black Alcohol-like | |
| Change in condition Melting point/Melting range: Boiling point/Boiling range: | undetermined 79°C (174°F) | |
| · Flash point: | 14°C (57°F) (TCC) | |
| · Ignition temperature: | 422°C (792°F) | |
| · Auto igniting: | Product is not selfigniting. | |
| · Danger of explosion: | Product is not explosive. However, formation of explosive air/vapor mixture are possible. | |
| · Explosion limits: Lower: Upper: | 3.3 Vol % 19 Vol % | |
| • Density at 20°C (68°F): | .791 g/cm ³ | |
| · Solubility in / Miscibility with Water: | Not miscible or difficult to mix | |
| · VOC's Lbs/Gallon: | 6.1 | |

10 Stability and reactivity

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known
- · Dangerous products of decomposition: No dangerous decomposition products known

11 Toxicological information

- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

(Contd. on page 4)

Material Safety Data Sheet acc. to ISO/DIS 11014

07/26/2006

Revision date: 06/15/2006

Trade name: ITW1212, Ink, Black, Non-porous, 5 Gal

(Contd. of page 3)

12 Ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

· Product:

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Comply with all Federal, State, and Local regulations regarding disposal.

· Uncleaned packagings:

· Recommendation:

Disposal must be made according to official regulations.

Comply with all Federal, State, and Local regulations regarding disposal.

| liquids g Ink |
|------------------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| 3 Ink |
| <u>ş</u> Ink |
| <u>g mk</u> |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

A4

5

Material Safety Data Sheet

acc. to IŠO/ĎIS 11014

07/26/2006

Revision date: 06/15/2006

Trade name: ITW1212, Ink, Black, Non-porous, 5 Gal

| | | (Contd. of page 4) |
|--|--------------------|--------------------|
| Packaging group: Propper shipping name: | II Printing Ink | |

15 Regulations

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)
- None of the ingredients is listed.
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.
- · NTP (National Toxicology Program)
- None of the ingredients is listed.
- TLV (Threshold Limit Value established by ACGIH)
- 64-17-5 ethanol
- · MAK (German Maximum Workplace Concentration)
- 64-17-5 ethanol
- · NIOSH-Ca (National Institute for Occupational Safety and Health)
- None of the ingredients is listed.
- · OSHA-Ca (Occupational Safety & Health Administration)
- None of the ingredients is listed.
- · Product related hazard information:
- The product has been classified and marked in accordance with directives on hazardous materials.
- · Hazard symbols: Irritant Highly flammable
- · Risk phrases: Highly flammable. Irritating to eyes.
- · Safety phrases:
- Keep out of the reach of children.
- Keep container tightly closed and in a well-ventilated place.
- Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point If swallowed, seek medical advice immediately and show this container or label.
- · National regulations
- Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- · OSHA Regulations Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A): Not listed
- OSHA Specifically Regulated Substance (29 CFR 1910.): Not listed
- Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III, Section 313:
- 112-34-5 diethylene glycol monobutyl ether
- · CONEG:
- This product has not been tested for heavy metals covered under the various CONEG laws. However, raw materials used to make this product do not contain mercury, lead, cadmium, or hexavalent chromium and none are added during manufacture.
- · Toxic Substances Control Act TSCA Status:
- All components of this product are listed in the EPA's Inventory of Chemical Substances as required under the Toxic Substances Control Act (TSCA).
- · California Proposition 65 (Chemicals known to cause cancer):
- This product contains no ingredients on the California Proposition 65 List known to cause cancer.

(Contd. on page 6)

Material Safety Data Sheet acc. to ISO/DIS 11014

07/26/2006

Revision date: 06/15/2006

Trade name: ITW1212, Ink, Black, Non-porous, 5 Gal

(Contd. of page 5)

16 Other information:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• MSDS Created By: P Gimse • File: 451

• Revision Information (All previous revisions obsolete): 11-2-2005 : Initial Release

USA