

SAFETY DATA SHEET

1. Identification

Product identifier	Versaprint™ Green WF
Other means of identification	
SDS number	15 Revision J
SDS part number	900-0081-01
Recommended use	Printing ink.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/	Distributor information
Manufacturer	Trident - ITW Marking & Coding
Address	5307 Meadowland Parkway,
	Marion IL, 62959
	USA
Telephone	800-521-3047
Contact person	Customer Service
E-mail	sds@trident-itw.com
Emergency telephone number	Infotrac 800-535-5053 (US only), +1-352-323-3500 International

2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Triethylene glycol	112-27-6	60-80
Polyalkylene glycol alkyl ether	Proprietary	10-20
Diethylene glycol monoethyl ether	111-90-0	5-15
Composition comments	All concentrations are in percent by weight unless ingredient is a gas percent by volume.	. Gas concentrations are in
4. First-aid measures		

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact	Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water spray. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Heat may cause the containers to explode. The product is combustible, but not flammable.
6. Accidental release meas	sures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Provide adequate ventilation. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Use care in handling/storage.
Conditions for safe storage	Storage temperature: between 4 and 40° C. Store in original tightly closed container. Store away

Conditions for safe storage, including any incompatibilities Storage temperature: between 4 and 49°C. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	Form
Diethylene glycol monoethyl ether (CAS 111-90-0)	TWA	140 mg/m3	
		25 ppm	
Triethylene glycol (CAS 112-27-6)	TWA	10 mg/m3	Particulate.
logical limit values	No biological exposure limits noted t	or the ingredient(s).	

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
such as personal protective equipment
Wear safety glasses with side shields (or goggles).
Wear appropriate chemical resistant gloves.
Wear suitable protective clothing.
If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.
Wear appropriate thermal protective clothing, when necessary.
Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

	-
Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Green.
Odor	Mild.
Odor threshold	Not available.
рН	7.5
Melting point/freezing point	< 14 °F (< -10 °C)
Initial boiling point and boiling range	> 300.2 °F (> 149 °C)
Flash point	> 230.0 °F (> 110.0 °C)
Evaporation rate	< 1 (n-Butyl acetate = 1)
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	< 1 mm Hg at 20°C
Vapor density	5.5 (Air=1) estimated
Relative density	1.09 (H2O=1)
Relative density temperature	77 °F (25 °C)
Solubility(ies)	
Solubility (water)	Partially soluble in water.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	38 - 45 mPa·s
Viscosity temperature	77 °F (25 °C)
Other information	
Percent volatile	< 90 % estimated
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.

Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.		
Conditions to avoid	Excessive heat. Contact with incompatible materials.		
Incompatible materials	Strong alkalis. (at elevated temperatures)		
Hazardous decomposition products	Carbon oxides. Nitrogen oxides.		
11. Toxicological informat	ion		
Information on likely routes of e	xposure		
Inhalation	Under normal conditions of intended use, this mater	ial is not expected to be an inhalation hazard.	
Skin contact	Prolonged skin contact may cause temporary irritation	on.	
Eye contact	Direct contact with eyes may cause temporary irritat	ion.	
Ingestion	May cause discomfort if swallowed.		
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritat	ion.	
Information on toxicological effe	ects		
Acute toxicity	Not expected to be acutely toxic.		
Components	Species	Test Results	
Diethylene glycol monoethyl ether	(CAS 111-90-0)		
Acute			
Dermal			
LD50	Rabbit	9143 mg/kg, 24 Hours	
Oral			
LD50	Rat	10502 mg/kg	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation	on.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitization	1		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause skin sensitizat		
Germ cell mutagenicity	No data available to indicate product or any compon mutagenic or genotoxic.	ents present at greater than 0.1% are	
Carcinogenicity	Not classifiable as to carcinogenicity to humans.		
• •	Evaluation of Carcinogenicity		
Not listed. NTP Report on Carcinogens Not listed.	3		
OSHA Specifically Regulate	d Substances (29 CFR 1910.1001-1053)		
Not regulated.			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be harmful.		
Further information	No other specific acute or chronic health impact noted.		
12. Ecological information	I		
Ecotoxicity	The product is not classified as environmentally haz possibility that large or frequent spills can have a ha		
Persistence and degradability Bioaccumulative potential	No data is available on the degradability of this prod	uct.	

Partition coefficient n-octanol / water (log Kow)

Diethylene glycol monoethyl ether (CAS 111-90-0)

-0.54

, , ,	
Mobility in soil	The product contains substances, which are water soluble and may spread in water systems.
Other adverse effects	None known.
13. Disposal consideration	IS
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal	regulations
------------	-------------

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Diethylene glycol monoethyl ether (CAS 111-90-0) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Diethylene glycol monoethyl ether	111-90-0	5-15
Other federal regulations		
Clean Air Act (CAA) Section 112 Hazardous	Air Pollutante (HAPe) Liet	

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Diethylene glycol monoethyl ether (CAS 111-90-0)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Diethylene glycol monoethyl ether (CAS 111-90-0)

US. Pennsylvania Worker and Community Right-to-Know Law

Diethylene glycol monoethyl ether (CAS 111-90-0) Triethylene glycol (CAS 112-27-6)

US. Rhode Island RTK

Triethylene glycol (CAS 112-27-6)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Diethylene glycol monoethyl ether (CAS 111-90-0)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	25-March-2015	
Revision date	04-December-2018	
Version #	03	
HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 0	
NFPA ratings		

Disclaimer

Trident - ITW Marking & Coding cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.