

# SAFETY DATA SHEET

### 1. Identification

Product identifier	ScanTrue II Flush Solution	
Other means of identification		
SDS number	57 REV C	
Product code	900-0077-01	
Recommended use	Inkjet Ink.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Supplier		
Company Name	Trident, an ITW Company	
Address	1114 Federal Road	
	Brookfield, CT 06804-1140	
Telephone	1-203-740-9333	
Fax	1-203-775-9660	
Contact person	HSE Manager	
E-mail	mailto:sds@trident-itw.com	
Emergency telephone	Infotrac United States 1-800-535-5053	
number	International 1-352-323-3500(collect)	

### 2. Hazard(s) identification

Physical hazards	Not classified.
Health Hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.

### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%
Plasticizer	Proprietary	100

The components are not hazardous or are below required disclosure limits.

Composition comments	Contains no hazardous ingredients according to GHS. All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.
4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.

ScanTrue II Flush Solution

Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation. High mist concentrations may cause irritation of respiratory tract.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	Containers can burst violently when heated, due to excess pressure build-up. Irritating and toxic gases or fumes may be released during a fire. Carbon oxides.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

# No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless vearing appropriate protective clothing. Avoid breathing mist or vapor. For personal protection, ee section 8 of the SDS. Local authorities should be advised if significant spillages cannot be ontained.	
Methods and materials for containment and cleaning up	This product is miscible in water. Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		
Precautions for safe handling	Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Observe good industrial hygiene practices. Wear appropriate personal protective equipment.	
Conditions for safe storage, including any incompatibilities	Storage temperature: between 4 and 49°C. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).	

# 8. Exposure controls/personal protection

• •	•	
Occupational exposure limits	No exposure limits noted for ingredient(s).	
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.	
Individual protection measures, such as personal protective equipment		
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin protection		
Hand protection	Not normally needed. Chemical resistant gloves are recommended.	
Other	Wear appropriate chemical resistant clothing.	
Respiratory protection	Not available.	

ScanTrue II Flush Solution

Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	

# 9. Physical and chemical properties

	s. I hysical and chemical p	
	Appearance	
	Physical state	Liquid.
	Form	Liquid. Oily liquid.
	Color	Clear.
(	Odor	Mild.
(	Odor threshold	Not available.
I	рН	Not available.
I	Melting point/freezing point	Not available.
	Initial boiling point and boiling range	653 °F (345 °C)
	Flash point	352.4 °F (178.0 °C) Closed Cup
	Evaporation rate	< 1 (N-butyl acetate =1).
	Flammability (solid, gas)	Not available.
	Upper/lower flammability or exp	losive limits
	Flammability limit - lower (%)	Not available.
	Flammability limit - lower (%) temperature	Not established.
	Flammability limit - upper (%)	Not available.
	Flammability limit - upper (%) temperature	Not established.
	Explosive limit - lower (%)	Not available.
	Explosive limit - upper (%)	Not available.
,	Vapor pressure	4.69X10-6 mm Hg @ 25 deg C.
,	Vapor density	10.8
	Relative density	Not available.
;	Solubility(ies)	
	Solubility (water)	Slightly soluble in water.
	Partition coefficient (n-octanol/water)	Not available.
	Auto-ignition temperature	689 °F (365 °C)
	Decomposition temperature	Not available.
,	Viscosity	Not available.
	10. Stability and reactivity	
I	Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
(	Chemical stability	Material is stable under normal conditions.

	····· F·······························
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials. Excessive heat.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

## 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	High mist concentrations may cause irritation of respiratory tract. Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation. High mist concentrations may cause irritation of respiratory tract.

#### Information on toxicological effects

#### Acute toxicity

Acute toxicity			
Components	Species	Test Results	
Plasticizer (CAS Proprietary)			
Acute			
Oral			
LD50	Rat	16000 mg/kg	
		16000 - 32000 mg/kg	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritatio	n.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation	rect contact with eyes may cause temporary irritation.	
Respiratory or skin sensitizatior	I		
Respiratory sensitization	Not available.		
Skin sensitization	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to be a carcinogen by	IARC, ACGIH, NTP, or OSHA.	
OSHA Specifically Regulate Not listed.	HA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not available.		
12. Ecological information			
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Persistence and degradability	No data is available on the degradability of this produ	uct.	
Bioaccumulative potential	ccumulative potential No data available.		
Mobility in soil	No data available.		
Other adverse effects	adverse effects None known.		
13. Disposal considerations			
Disposal instructions	Collect and reclaim or dispose in sealed containers a	-	
Local disposal regulations	Dispose in accordance with all applicable regulations		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	ispose of in accordance with local regulations. Empty containers or liners may retain some roduct residues. This material and its container must be disposed of in a safe manner (see: isposal instructions).		

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

> SDS US 5 / 6

#### 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

#### 15. Regulatory information

US federal regulations	All components are on the U.S. EPA TSCA Inventory List. This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)
Not regulated.	
	ed Substances (29 CFR 1910.1001-1050)
Not listed.	
CERCLA Hazardous Substa	INCE LIST (40 CFR 302.4)
Not listed.	
Hazard categories	eauthorization Act of 1986 (SARA) Immediate Hazard - No
nazaru categories	Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
SARA 302 Extremely hazar Not listed.	dous substance
SARA 311/312 Hazardous chemical	No
SARA 313 (TRI reporting) Not regulated.	
Other federal regulations	
Clean Air Act (CAA) Section	n 112 Hazardous Air Pollutants (HAPs) List
Not regulated.	
Clean Air Act (CAA) Section	n 112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.	
Safe Drinking Water Act (SDWA)	Not regulated.
US state regulations	
US. Massachusetts RTK - S	ubstance List
Not regulated. US. New Jersey Worker and	d Community Right-to-Know Act
Not listed.	
	nd Community Right-to-Know Law
Not listed. US. Rhode Island RTK	
Not regulated.	
C C	26
	Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain listed as carcinogens or reproductive toxins.
ScanTrue II Flush Solution	SDS
922463 Version #: 01 Revision of	
	1000 4010. 22 August 2017

#### US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other information, including date of preparation or last revision

Issue date Revision date Version # NFPA ratings	22-August-2014 - 01
List of abbreviations	TWA: Time weighted average. STEL: Short term exposure limit. TLV: Threshold Limit Value.
References	ESIS (European chemical Substances Information System)
Disclaimer	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment. The information in the sheet was written based on the best knowledge and experience currently available.